Certificate of Analysis

Hana Meds

Tempe, AZ 85281
victor@hanameds.com
(480) 773-3177
Lic. #00000003DCOU00038157

Sample: 2203LVL0397.2178

Strain: Ghost Train Haze
Batch#: SKL Ghost Train Haze 03.09.2022 GH1-S; Batch Size: g
Sample Received: 03/24/2022; Report Created: 03/31/2022; Expires: 03/31/2023

SKL Ghost Train Haze

Chino Sample

	26.654% Total THC	**<LOQ** Total CBD	**32.771%** Total Cannabinoids
	Not Tested Water Activity by ASTM D8196_18	**Complete** 7.8% Moisture	

Cannabinoids

Complete

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.766	30.392	303.92
Δ9-THC	0.766	<LOQ	<LOQ
Δ8-THC	0.766	ND	ND
THCV	0.766	ND	ND
CBDa	0.766	<LOQ	<LOQ
CBD	0.766	<LOQ	<LOQ
CBN	0.766	ND	ND
CBGa	0.766	2.379	23.79
CBG	0.766	<LOQ	<LOQ
Total		**32.771**	**327.71**

Qualifiers:
Date Tested: 03/29/2022 07:00 am

Total THC = THCa * 0.877 + d9-THC
Total CBD = CBDa * 0.877 + CBD
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoid potency performed by HPLC-DAD per SOP-LM-005. ADHS approved method for potency by HPLC-DAD for all listed analytes. Code M4.

1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
http://www.levelonelabs.com
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs.

Hana Meds

Tempe, AZ 85281
victor@hanameds.com
(480) 773-3177
Lic. #00000003DCOU00038157

Sample: 2203LVL0397.2178

Strain: Ghost Train Haze
Batch#: SKL Ghost Train Haze 03.09.2022 GH1-S; Batch Size: g
Sample Received: 03/24/2022; Report Created: 03/31/2022; Expires: 03/31/2023

SKL Ghost Train Haze

Chino Sample

Residual Solvents

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Acetone	379.412	1000.000	ND	Pass
Acetonitrile	154.233	410.000	ND	Pass
Benzene	0.755	2.000	ND	Pass
Butanes	2524.370	5000.000	ND	Pass
Chloroform	22.720	60.000	ND	Pass
Dichloromethane	230.872	600.000	ND	Pass
Ethanol	1882.458	5000.000	ND	Pass
Ethyl-Acetate	1884.244	5000.000	ND	Pass
Ethyl-Ether	1876.891	5000.000	ND	Pass
Heptane	1879.622	5000.000	ND	Pass
Hexanes	108.351	290.000	ND	Pass
Isopropanol	1873.634	5000.000	ND	Pass
Isopropyl-Acetate	1877.101	5000.000	ND	Pass
Methanol	1123.319	3000.000	ND	Pass
Pentanes	1889.286	5000.000	ND	Pass
Propane	2519.223	5000.000	ND	Pass
Toluene	338.067	890.000	ND	Pass
Xylenes	810.000	2170.000	ND	Pass

Qualifiers:
Date Tested: 03/29/2022 07:00 am

Performed by GCMS-HS per SOP-LM-014. Methods used per AZDHS R9-17-404.03 and solvent limits set by AZDHS R9-17 Table 3.1. ADHS approved method for residual solvents by GCMS-HS for all listed analytes. Code V1, M1, L1.

All Rights Reserved

This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs.

Hana Meds

Tempe, AZ 85281
victor@hanameds.com
(480) 773-3177
Lic. #00000003DCOU00038157

Sample: 2203LVL0397.2178

Strain: Ghost Train Haze
Batch#: SKL Ghost Train Haze 03.09.2022 GH1-S; Batch Size: g
Sample Received: 03/24/2022; Report Created: 03/31/2022; Expires: 03/31/2023

SKL Ghost Train Haze

Chino Sample

Pesticides

Pass

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.030	0.500	ND	Pass	Hexythiazox	0.040	1.000	ND	Pass
Acephate	0.040	0.400	ND	Pass	Imazalil	0.040	0.200	ND	Pass
Acequinocyl	0.450	2.000	ND	Pass	Imidacloprid	0.040	0.400	ND	Pass
Acetamiprid	0.040	0.200	ND	Pass	Kresoxim Methyl	0.040	0.400	ND	Pass
Aldicarb	0.040	0.400	ND	Pass	Malathion	0.040	0.200	ND	Pass
Azoxystrobin	0.050	0.200	ND	Pass	Metalaxyl	0.040	0.200	ND	Pass
Bifenazate	0.040	0.200	ND	Pass	Methiocarb	0.040	0.200	ND	Pass
Bifenthrin	0.040	0.200	ND	Pass	Methomyl	0.050	0.400	ND	Pass
Boscalid	0.040	0.400	ND	Pass	Myclobutanil	0.050	0.200	ND	Pass
Carbaryl	0.040	0.200	ND	Pass	Naled	0.040	0.500	ND	Pass
Carbofuran	0.040	0.200	ND	Pass	Oxamyl	0.040	1.000	ND	Pass
Chlorantraniliprole	0.040	0.200	ND	Pass	Paclobutrazol	0.050	0.400	ND	Pass
Chlorfenapyr	0.450	1.000	ND	Pass	Permethrins	0.050	0.200	ND	Pass
Chlorpyrifos	0.050	0.200	ND	Pass	Phosmet	0.040	0.200	ND	Pass
Clofentezine	0.040	0.200	ND	Pass	Piperonyl Butoxide	0.040	2.000	ND	Pass
Cyfluthrin	0.450	1.000	ND	Pass	Prallethrin	0.040	0.200	ND	Pass
Cypermethrin	0.050	1.000	ND	Pass	Propiconazole	0.040	0.400	ND	Pass
Daminozide	0.450	1.000	ND	Pass	Propoxur	0.050	0.200	ND	Pass
Dichlorvos (DDVP)	0.040	0.100	ND	Pass	Pyrethrins	0.450	1.000	ND	Pass
Diazinon	0.050	0.200	ND	Pass	Pyridaben	0.040	0.200	ND	Pass
Dimethoate	0.050	0.200	ND	Pass	Spinosad	0.050	0.200	ND	Pass
Ethoprophos	0.040	0.200	ND	Pass	Spiromesifen	0.050	0.200	ND	Pass
Etofenprox	0.040	0.400	ND	Pass	Spirotetramat	0.050	0.200	ND	Pass
Etoxazole	0.040	0.200	ND	Pass	Spiroxamine	0.040	0.400	ND	Pass
Fenoxycarb	0.050	0.200	ND	Pass	Tebuconazole	0.050	0.400	ND	Pass
Fenpyroximate	0.040	0.400	ND	Pass	Thiacloprid	0.040	0.200	ND	Pass
Fipronil	0.040	0.400	ND	Pass	Thiamethoxam	0.040	0.200	ND	Pass
Flonicamid	0.040	1.000	ND	Pass	Trifloxystrobin	0.050	0.200	ND	Pass
Fludioxonil	0.040	0.400	ND	Pass					

Herbicides

Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM	
Pendimethalin	0.050	0.100	ND	Pass

Qualifiers:
Date Tested: 03/29/2022 07:00 am
Performed by LCMSMS per SOP-LM-021 and SOP-LM-022. ND = Not Detected; NR = Not Reported. Methods used per AZDHS R9-17-404.03 and pesticide limits set by AZDHS R9-17 Table 3.1. ADHS approved method for pesticide testing by LCMSMS for full list effective 5/1/2021. Code M1, M2, L1.

This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs.

Hana Meds

Tempe, AZ 85281
victor@hanameds.com
(480) 773-3177
Lic. #00000003DCOU00038157

Sample: 2203LVL0397.2178

Strain: Ghost Train Haze
Batch#: SKL Ghost Train Haze 03.09.2022 GH1-S; Batch Size: g
Sample Received: 03/24/2022; Report Created: 03/31/2022; Expires: 03/31/2023

SKL Ghost Train Haze

Chino Sample

Microbials

Pass

Analyte	Limit	Units	Date Tested	Status
	CFU/g	CFU/g		
Aspergillus sp	Not Detected in 1g	Not Detected in 1g	3/30/2022	Pass
E. Coli	100	<LOQ	3/29/2022	Pass
Salmonella	Not Detected in 1g	Not Detected in 1g	3/29/2022	Pass

Qualifiers:
Date Tested: 03/30/2022 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.

All Rights Reserved

This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs.

Hana Meds

Tempe, AZ 85281
victor@hanameds.com
(480) 773-3177
Lic. #00000003DCOU00038157

Sample: 2203LVL0397.2178

Strain: Ghost Train Haze
Batch#: SKL Ghost Train Haze 03.09.2022 GH1-S; Batch Size: g
Sample Received: 03/24/2022; Report Created: 03/31/2022; Expires: 03/31/2023

SKL Ghost Train Haze

Chino Sample

Heavy Metals

Pass

Analyte	Mass	Limit	Status
	PPM	PPM	
Arsenic	ND	0.400	Pass
Cadmium	ND	0.400	Pass
Lead	ND	1.000	Pass
Mercury	ND	1.200	Pass

Qualifiers:
Date Tested: 03/30/2022 07:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Subcontracted through IAS. Approved for all analytes by ICP-OES.

LEVEL ONE LABS
1525 N Granite Reef Rd
Scottsdale, AZ
(480) 867-1520
http://www.levelonelabs.com
Lic# 00000004LCIG00024823

Matthew Schuberth
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs.